



**okuma**  
INSPIRED FISHING



## VIBE COMBOS

- » 1BB bearing drive for durability and smoothness
- » Multi-disc oil felt drag washers
- » Durable glass fiber rod blank construction
- » Durable Dura-flow stainless steel guides
- » Comfortable EVA rear split grips
- » Available in Blue/Green/Pink/Orange

### TECH SPECS:

CODE	LENGTH	POWER	CASTING WEIGHT	SECTIONS	TYPE	REEL MODEL	BEARINGS	COLOUR	WITH LINE	LINE CAPACITY/(LB)
VB-602M-25BU	6' 0"	6' 0"	-	2-pcs	Spinning	VB-25	1BB	Blue	Yes	265/3, 220/4, 180/6
VB-602M-25GR	6' 0"	6' 0"	-	2-pcs	Spinning	VB-25	1BB	Green	Yes	265/3, 220/4, 180/6
VB-602M-25OR	6' 0"	6' 0"	-	2-pcs	Spinning	VB-25	1BB	Orange	Yes	265/3, 220/4, 180/6
VB-602M-25PK	6' 0"	6' 0"	-	2-pcs	Spinning	VB-25	1BB	Pink	Yes	265/3, 220/4, 180/6
VB-702M-30BU	7' 0"	7' 0"	-	2-pcs	Spinning	VB-30	1BB	Blue	Yes	310/3, 250/4, 165/6
VB-702M-30GR	7' 0"	7' 0"	-	2-pcs	Spinning	VB-30	1BB	Green	Yes	310/3, 250/4, 165/6
VB-702M-30OR	7' 0"	7' 0"	-	2-pcs	Spinning	VB-30	1BB	Orange	Yes	310/3, 250/4, 165/6
VB-702M-300PK	7' 0"	7' 0"	-	2-pcs	Spinning	VB-30	1BB	Pink	Yes	310/3, 250/4, 165/6

## FIN CHASER COMBO

- » Multi colored combo series
- » Durable glass fiber rod blank construction
- » 1 ball bearing drive on all models
- » Multi-disc drag washers
- » Durable ceramic guide inserts
- » Comfortable cork fore and rear grips on 6'0"-6'6"
- » EVA grips on all models
- » Spinning reels are all front drag control
- » ABS Spools
- » Fin Chaser combos are pre-spooled with line



### TECH SPECS:

CODE	LENGTH	POWER	CASTING WEIGHT	SECTIONS	TYPE	REEL MODEL	BEARINGS	COLOUR	WITH LINE	LINE CAPACITY/(LB)
FN-602M-25B	6'0"	M	-	2PC	Spinning	25	1BB	Blue	Yes	310/3, 250/4, 165/6
FN-602M-25R	6'0"	M	-	2PC	Spinning	25	1BB	Red	Yes	310/3, 250/4, 165/6
FN-602M-25S	6'0"	M	-	2PC	Spinning	25	1BB	Silver	Yes	310/3, 250/4, 165/6
FN-702M-30B	7'0"	M	-	2PC	Spinning	30	1BB	Blue	Yes	190/10, 140/12, 110/15
FN-702M-30R	7'0"	M	-	2PC	Spinning	30	1BB	Red	Yes	190/10, 140/12, 110/15
FN-702M-30S	7'0"	M	-	2PC	Spinning	30	1BB	Silver	Yes	190/10, 140/12, 110/15
FN-802M-40B	8'0"	M	-	2PC	Spinning	40	1BB	Blue	Yes	155/18, 125/20, 90/30
FN-802M-40R	8'0"	M	-	2PC	Spinning	40	1BB	Red	Yes	155/18, 125/20, 90/30
FN-802M-40S	8'0"	M	-	2PC	Spinning	40	1BB	Silver	Yes	155/18, 125/20, 90/30
FN-1002M-65B	10'0"	M	-	2PC	Spinning	65	1BB	Blue	Yes	300/15, 190/20, 130/35
FN-1002M-65S	10'0"	M	-	2PC	Spinning	65	1BB	Silver	Yes	300/15, 190/20, 130/35
FN-1202M-80B	12'0"	M	-	2PC	Spinning	80	1BB	Blue	Yes	300/15, 190/20, 130/35
FN-1202M-80S	12'0"	M	-	2PC	Spinning	80	1BB	Silver	Yes	300/15, 190/20, 130/35


## ARIA BLUE COMBO



- » 1 ball bearing drive for smoothness and durability
- » Machined aluminum, anodized spool
- » Precision machine cut brass pinion gear
- » Fast action, composite quality blank
- » EVA grips
- » Premium Okuma graphite reel seat

### TECH SPECS:

CODE	LENGTH	POWER	SECTIONS	TYPE	REEL MODEL	BEARINGS	LINE CAPACITY/(DIAMETER)
AR-S-562UL-10a	5'6"	MH	2PC	Spinning	10	1BB	-
AR-S-662MH-30a	6'6"	MH	2PC	Spinning	30	1BB	0.20/300,0.25/200,0.30/130
AR-S-702MH-30a	7'0"	MH	2PC	Spinning	30	1BB	0.20/300,0.25/200,0.30/130
AR-S-802MH-40a	8'0"	MH	2PC	Spinning	40	1BB	0.25/260, 0.30/180,0.35/130



## ALARIS COMBO

- » The Alaris combo feature a corrosion resistant frame, side plates and Cyclonic Flow Rotor design, as well as machined aluminum 2-tone spool and rigid metal handle for strength and durability. With four stainless steel ball bearings, and multi-disc Japanese oiled felt drag washers, the Alaris runs smooth on the output of line and retrieve. The Alaris combo will be available in three spinning models from 5 to 7 feet in 20 and 30 sizing.

### TECH SPECS:

CODE	LENGTH	POWER	SECTIONS	TYPE	REEL MODEL	BEARINGS	LINE CAPACITY/(DIAMETER)
ALS-602ML-20	6'0"	ML	2PC	Spinning	20	1BB	280/2, 140/4, 110/6
ALS-662M-30	6'6"	M	2PC	Spinning	30	1BB	240/6, 200/8,160/10
ALS-702M-30	7'0"	MH	2PC	Spinning	30	1BB	240/6, 200/8,160/10



## SAFINA COMBO

- » 1 Ball Bearing + 1 one way bearing
- » Machined two tone aluminium spool
- » CFR - Cyclonic flow rotor
- » Quick-Set infinite anti-reverse system
- » Rigid aluminium handle
- » Fast Action 2pc composite (60% Carbon) blank construction

### TECH SPECS:

CODE	LENGTH	POWER	CASTING WEIGHT	SECTIONS	TYPE	REEL MODEL	BEARINGS	WITH LINE	LINE CAPACITY/ (DIAMETER)
SF-S-662M-30	6'6"	M	-	2PC	Spinning	30	1+1BB	NO	0.20/265, 0.25/170, 0.30/115
SF-S-702MH-30	7'0"	MH	-	2PC	Spinning	30	1+1BB	NO	0.20/265, 0.25/170, 0.30/115
SF-S-802MH-30	8'0"	MH	30-80g	2PC	Spinning	30	1+1BB	NO	0.20/265, 0.25/170, 0.30/115
SF-S-1002MH-60	10'0"	MH	-	2PC	Spinning	60	1+1BB	NO	0.30/275, 0.35/200, 0.40/155
SF-S-1102MH-60	11'0"	MH	40-120g	2PC	Spinning	60	1+1BB	NO	0.30/275, 0.35/200, 0.40/155
SF-S-1202MH-60	12'0"	MH	40-120g	2PC	Spinning	60	1+1BB	NO	0.30/275, 0.35/200, 0.40/155



## REVENGER PRO X SURF SPIN COMBO

- » Multi-disc, oiled felt drag system
- » 3 ball bearing for ultimate smoothness
- » Multi-stop anti-reverse system
- » Machined aluminum, anodized spool
- » Corrosion-resistant graphite body
- » Rigid aluminum handle arm for strength
- » Corrosion-resistant, stainless steel bail wire
- » RESII: Computer balanced Rotor Equalizing System

### TECH SPECS:

CODE	LENGTH	POWER	CASTING WEIGHT	SECTIONS	TYPE	REEL MODEL	BEARINGS	WITH LINE	LINE CAPACITY/(DIAMETER)
RVPX-C-1002	10'0"	MH	2-4oz	2PC	Spinning	55	3BB	NO	0.30/310, 0.35/205, 0.40/170
RVPX-C-1202	12'0"	MH	3-5oz	2PC	Spinning	55	3BB	NO	0.30/310, 0.35/205, 0.40/170





## INVADER CARP COMBO

- » These beautiful carp catching combos are available in 8', 10' and 12' versions. Good quality low rider guides are fitted to these medium actioned rods and the reels are super smooth featuring bait feeder system, aluminium spool, line friendly line clip, 3 ball bearings and balanced double handle.

### TECH SPECS:

CODE	LENGTH	TEST CURVE	CASTING WEIGHT	SECTIONS	TYPE	REEL MODEL	BEARINGS	COLOUR	WITH LINE	LINE CAPACITY/(LB)
INV-S-802-40	8'0"	2.75lbs	10-60g	2PC	Spinning	40	3BB	B & G	NO	-
INV-S-1002-40	10'0"	3.0lbs	20-85g	2PC	Spinning	40	3BB	B & G	NO	-
INV-V-1202-55	12'0"	3.5lbs	25-100g	2PC	Spinning	55	3BB	B & G	NO	-



## CASCADE SPINNING ROD

- » Fiberglass 2pc blank
- » EVA grips
- » Split butt design
- » Medium Action
- » Durable S/Steel frame and insert guides

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
CS-S-602M	M	Spinning	6'0"	2PC	8-25g
CS-S-702M	M	Spinning	7'0"	2PC	10-30g
CS-S-802M	M	Spinning	8'0"	2PC	15-40g



## G-FORCE TELESCOPIC FIBERGLASS RODS

- » FPS graphite reel seat
- » High Quality guides
- » Lightweight
- » Japanese EVA handles

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
750004	M	Spinning	6'0"	Telescopic	5-15g
750005	M	Spinning	7'0"	Telescopic	10-30g
750006	M	Spinning	8'0"	Telescopic	20-40g
750007	M	Spinning	10'0"	Telescopic	20-60g
750008	M	Spinning	12'0"	Telescopic	20-60g



## G-FORCE FIBERGLASS

- » FPS graphite reel seat
- » High Quality guides
- » Lightweight
- » Japanese EVA handles

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
GF-S-602M	M	Spinning	6'0"	2PC	5-20g
GF-S-702M	M	Spinning	7'0"	2PC	5-20g
GF-S-802M	M	Spinning	8'0"	2PC	10-30g
GF-S-902M	M	Spinning	9'0"	2PC	20-60g
GF-S-1002M	M	Spinning	10'0"	2PC	40-80g
GF-S-1202M	M	Spinning	12'0"	2PC	60-100g



## WAVE POWER TELESCOPIC SPINNING

- » 24T GT blank construction
- » Fast action
- » Stainless steel frame SIC guides
- » 3 Split EVA handle to reduce the weight and good balance
- » Graphite reel seat

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
WP-S-605MT	M	Spinning	6'0"	1PC	5-20g
WP-S-705MT	M	Spinning	7'0"	1PC	10-30g
WP-S-806MT	M	Spinning	8'0"	1PC	15-40g
WP-S-907MT	M	Spinning	9'0"	1PC	20-50g
WP-S-1007MT	M	Spinning	10'0"	1PC	25-60g



## WAVE POWER SPINNING

- » 24T GT blank construction
- » Fast action
- » Stainless steel frame SIC guides
- » 3 Split EVA handle to reduce the weight and good balance
- » Graphite cushions reel seat

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
WP-S-662M	M	Spinning	6'6"	2PC	20-50g
WP-S-702MH	MH	Spinning	7'0"	2PC	20-60g
WP-S-802H	H	Spinning	8'0"	2PC	30-80g
WP-S-902H	H	Spinning	9'0"	2PC	30-100g



## SLOPPY PADDLE SKI

- » FPS graphite reel seat
- » High Quality guides
- » Lightweight
- » Japanese EVA handles
- » UFR blank design (Ultimate Flex Reinforcement)
- » 3X the strength and lifting power of traditional rods

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	LINE WT
SL-S-461MH	MH	Spinning	4'6"	1PC	6-12kg
SL-S-561MH	MH	Spinning	5'6"	1PC	8-12kg



## SLOPPY

- » UFR blank design (Ultimate Flex Reinforcement)
- » 3X the strength and lifting power of traditional rods
- » High quality guides
- » Light weight
- » Japanese EVA

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	LINE WT
SL-S-461ML	ML	Spinning	4'6"	1PC	3-6kg
SL-S-602ML	ML	Spinning	6'0"	2PC	3-6kg
SL-S-661M	M	LTB Spinning	6'6"	1PC	4-10kg
SL-S-701M	M	LTB Spinning	7'0"	1PC	4-12kg



## REVENGER PRO SHORT BUTT

- » All models with short butt.
- » Ultra-responsive 24-carbon blank construction.
- » Quality stainless steel frame guides.
- » Polished titanium oxide inserts reduce friction.
- » Okuma graphite reel seat.
- » Full hard EVA handles.
- » Cloth bag included.

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
RVPX-SB-802H	H	Spinning	8'0"	2PC	30-80g
RVPX-SB-902H	H	Spinning	9'0"	2PC	30-100g
RVPX-SB-1002H	H	Spinning	10'0"	2PC	40-120g
RVPX-SB-1102H	H	Spinning	11'0"	2PC	40-110g



## UFR LRF GEN 2 ROD

- » Great quality durable material
- » EVA grips
- » Split butt design
- » Medium Action

Okuma's UFR technology is a breakthrough design in rod strength and sensitivity. Our patented UFR manufacturing process utilizes an outer layer of longitudinal fibers around the rod blank in the extended tip section. The result is 300% increase in lifting power and a flexible tip increasing durability and protecting against breaks.

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
LRF2-S-462UL	UL	Spinning	4'6"	2PC	1-7g
LRF2-S-562L/M	L/M	Spinning	5'6"	2PC	1-7g
LRF2-S-602UL	UL	Spinning	6'0"	2PC	1-7g
LRF2-S-702M	M	Spinning	7'0"	2PC	7-12g



## LITE SX FINESSE SPINNING & CASTING

- » 40 Ton Toray Carbon
- » Ultimate Finesse Rod
- » Crisp Action, Light Weight
- » Hidden Thread Sea Guide Reel Seat
- » Single Foot Lightweight Sea Guides

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
LT-S-462UL	UL	Spinning	4'6"	2PC	1-7g
LT-S-562UL	UL	Spinning	5'6"	2PC	2-8g
LT-S-66L	L	Spinning	6'6"	2PC	7-18g
LT-S-702M	M	Spinning	7'0"	2PC	8-20g
LT-S-802MH	MH	Spinning	8'0"	2PC	15-40g
LT-C-662L	L	Casting	6'6"	2PC	4-12g
LT-C-702L	L	Casting	7'0"	2PC	5-14g



## FUEL SPIN BAITCASTING COMBO 7.2:1 REEL

The Fuel Spin Baitcasting Combo features a motor sport inspired design and is built around a 24T GT blank construction with EVA handles to reduce weight and increase the overall balance.

### REEL:

The Fuel Spin Low Profile Baitcast Reel is constructed from a corrosion-resistant graphite frame and sideplates, and A6061-T6 machined aluminum spool. It also features multi-disc composite drag system and sideplate access port which can change the spool quickly.

- » 3BB +1RB bearing drive system
- » External adjustable magnetic cast control



### TECH SPECS:

CODE	LENGTH	TYPE	POWER	ACTION	CASTING WT	SECTIONS	APPLICATIONS
FS-C-702MH	7'0"	Casting	MH	FAST	5-21g	1PC	All Rounder





## SCORPIO BAITCASTING COMBO 7.2:1 REEL

### ROD:

- » 24 TON Carbon Blank
- » Natural pressed Cork Grips

### REEL

- » Corrosion-resistant graphite frame and sideplates
- » A6061-T6 machined aluminum, anodized U-shaped spool
- » Multi-disc composite drag system
- » 5BB+1RB bearing drive system
- » External adjustable magnetic cast control system
- » Quick-Set anti-reverse roller bearing



### TECH SPECS:

CODE	LENGTH	TYPE	POWER	ACTION	CASTING WT	SECTIONS	APPLICATIONS
SP-C-702MH	70"	Casting	MH	-	7-21g	2PC	All Rounder



## SCORPIO SPINNING COMBO

### ROD:

- » 24 TON Carbon Blank
- » Natural pressed Cork Grips

### REEL

- » Corrosion-resistant graphite body
- » Exclusive metal black and purple paint
- » 4 ball bearing + 1 roller bearing
- » Quick Set infinite anti-reverse system
- » CFR : Cyclonic Flow Rotor
- » Machine cut aluminum spool



### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS	APPLICATIONS
SP-S-702MH	70"	Spinning	MH	7-21g	2PC	All Rounder



## PINK ROSE

- » FPS graphite reel seat
- » High Quality guides
- » Lightweight
- » Japanese EVA handles

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	ACTION	CASTING WT	SECTIONS	APPLICATIONS
PR-S-702MH	7'0"	Spinning	MH	-	15-40g	2	All Rounder



## STRATUS ONE BASS RODS

- » Fans of the original Okuma Stratus range of 2-piece rods are going to love the upgrades to the new Stratus One Series. They feature upgraded cosmetics, refined 24 Ton Toray blanks, matching green Camo EVA grips and low-profile reel seat with Aluminium hood and are available in 4 casting models and 1 spinning version in 1 and 2-piece configurations.



### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS	APPLICATIONS
STO-C-662MH	6'6"	Casting	MH	1/4-3/4oz	2PC	All Rounder / Spinnerbait / Chatterbait
STO-C-702MH	7'0"	Casting	MH	1/4-3/4oz	2PC	All Rounder
STO-S-702MH	7'0"	Spinning	MH	1/4-3/4oz	2PC	All Rounder
STO-C-610IM	6'10"	Casting	M	3/16 - 5/8oz	1PC	Topwater / Jerkbait / Weightless
STO-C-701MH	7'0"	Casting	MH	1/4-3/4oz	1PC	All Rounder



## TACTICAL THE MISSION

- » Totally revamped the new Tactical – The Mission Series features three, 1-piece casting models for worming, cranking and frogging and two, 2-piece spinning rods to round out the range. Built on a 24-ton blank the design team stuck with UFR (Ultra Flex Reinforcement Technology) to reduce as much weight on the blank without sacrificing on strength or fish fighting power. Welcomed new additions include EVA grips finished with Rubber Cork and the foiled application labels making picking up the right rod a cinch.



Okuma's UFR technology is a breakthrough design in rod strength and sensitivity. Our patented UFR manufacturing process utilizes an outer layer of longitudinal fibers around the rod blank in the extended tip section. The result is 300% increase in lifting power and a flexible tip increasing durability and protecting against breaks. UFR tips are tough but sensitive to even the of lightest bites, even when using heavy baits.

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS	APPLICATIONS
TTM-C-701MH	7'0"	Casting	MH	1/4 - 1.5oz	1PC	ALL ROUNDER
TTM-C-741H	7'4"	Casting	H	1/2 - 2oz	1PC	FROGGING / PITCHING
TTM-C-741M	7'4"	Casting	M	1/4 - 1.5oz	1PC	WEIGHTLESS / CRANKING
TTM-S-702MH	7'0"	Spinning	MH	1/4 - 1.5oz	2PC	ALL ROUNDER
TTM-C-702MH	7'0"	Casting	MH	1/4 - 1.5oz	2PC	ALL ROUNDER



## RECON BASS RODS

- » 30 Ton Toray Carbon
- » Cork Grips
- » Nano Carbon Technology
- » Reel seat with exposed blank for ultimate sensitivity
- » Down locking aluminium hood on reel seat
- » Lightweight aluminium oxide guides
- » Supplied in a cloth bag

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	ACTION	CASTING WT	SECTIONS	APPLICATIONS
REC-C-691M	6'9"	Casting	M	Medium Fast	1/8-5/8oz	1PC	Topwater/Jerbait
REC-C-701MH	7'0"	Casting	MH	Medium Fast	1/4-3/4oz	1PC	All Rounder
REC-C-711M	7'11"	Casting	M	Medium Fast	1/8-5/8oz	1PC	Weightless/Deep Cranking
REC-C-741H	7'4"	Casting	H	Medium Fast	3/8-1oz	1PC	Frogging
REC-S-6101ML	6'10"	Spinning	ML	Medium Fast	1/8-1/2oz	1PC	Ned Rig
REC-S-701M	7'0"	Spinning	M	Medium Fast	1/8-5/8oz	1PC	Dropshot/Finesse
REC-C-702MH	7'0"	Casting	MH	Medium Fast	1/4-3/4oz	2PC	All Rounder
REC-S-702M	7'0"	Spinning	M	Medium Fast	1/4-3/4oz	2PC	All Rounder



## PSYCHO STICK BASS RODS

- » Okuma's most expansive technique specific bass series yet, the Psycho Stick includes 12 models ranging from 6'10ML to a 7'11XH Swimbait rod and everything in between. Built on a 30 Ton Toray Carbon blank with Nano Carbon technology the blanks are light, sensitive and super responsive. The blank is reinforced with Okuma's OPP Wrap that adds protection to the blank and improves strength. We also paired it up with Fuji components and a marbled swirl EVA handle to reduce weight and improve comfort.

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS	APPLICATIONS
PS-S-6101ML	6'10"	Spinning	ML	1/8 - 5/8oz	1PC	DROPSHOT
PS-S-701M	7'0"	Spinning	M	1/8 - 5/8oz	1PC	FINESSE
PS-C-681MH	6'8"	Casting	MH	1/4 - 3/4oz	1PC	SPINNERBAIT
PS-C-691M	6'9"	Casting	M	1/8 - 5/8oz	1PC	JERKBAIT
PS-C-701MH	7'0"	Casting	MH	1/4 - 3/4oz	1PC	WORMING
PS-C-721MH	7'2"	Casting	MH	1/4 - 3/4oz	1PC	CHATTERBAIT
PS-C-741M	7'4"	Casting	M	1/4 - 3/4oz	1PC	CRANKING
PS-C-741H	7'4"	Casting	H	3/8 - 1oz	1PC	FROGGING
PS-C-711XH	7'11"	Casting	XH	1 - 5oz	1PC	SWIMBAIT
PS-S-702M	7'0"	Spinning	M	1/8 - 5/8oz	2PC	ALL ROUNDER
PS-C-702MH	7'0"	Casting	MH	1/4 - 3/4oz	2PC	ALL ROUNDER
PS-S-704MHF	7'0"	Spinning	MH	1/4 - 3/4oz	4PC	TRAVEL SERIES ALL ROUNDER
PS-C-704MHF	7'0"	Casting	MH	1/4 - 3/4oz	4PC	TRAVEL SERIES ALL ROUNDER



FUJI EQUIPPED



## SERRANO BLUE BASS SERIES

- » Super Lightweight 30Ton Toray Carbon Blank
- » Alps S-6 Micro Guides
- » Okuma All Weather grips
- » Okuma Protective OPP Wrap - to protect against blank damage
- » Aluminium reel seat hood

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS	APPLICATIONS
SRN-S-701M	7'0"	Spinning	M	2-11g	1PC	Ned Rig/Finesse
SRN-C-691M	6'9"	Casting	M	5-18g	1PC	Spinnerbait/Chatterbait
SRN-C-661MH	6'6"	Casting	MH	11-18g	1PC	Topwater/Jerkbait
SRN-C-701MH	7'0"	Casting	MH	7-21g	1PC	Texas/All Rounder
SRN-C-711M	7'11"	Casting	M	5-18g	1PC	Deep Cranking/Weightless
SRN-C-741H	7'4"	Casting	H	11-21g	1PC	Frogging/Pitching
SRN-S-702M	7'0"	Spinning	M	2-11g	2PC	Finesse
SRN-C-702MH	7'0"	Casting	MH	7-21g	2PC	Texas/All Rounder



## RAW BASS SERIES

- » 40 Ton Toray Carbon Blank with UMR technology
- » Fuji Fazlite K-Series anti Tangle guides
- » Fuji Reel Seat
- » A Grade Cork full butt grips
- » A Grade Down locking fore grips with rubber cork trim
- » Supplied with a protective rod sock

**ULTIMATE  
MATRIX  
REINFORCEMENT**

### TECH SPECS:

CODE	LENGTH	TYPE	POWER	ACTION	CASTING WT	SECTIONS
RAW-C-691M	6'9"	Casting	M	X-Fast	10-30g	1PC
RAW-S-701M	7'0"	Spinning	M	X-Fast	10-30g	1PC
RAW-C-701MH	7'0"	Casting	MH	X-Fast	15-40g	1PC
RAW-C-741H	7'4"	Casting	H	X-Fast	20-70g	1PC
RAW-C-741M	7'4"	Casting	M	X-Fast	12-35g	1PC
RAW-C-702MH	7'0"	Casting	MH	X-Fast	15-40g	2PC
RAW-S-702MH	7'0"	Spinning	MH	X-Fast	10-30g	2PC




FUJI EQUIPPED



## HAKAI BASS SERIES

- » Ultra light weight
- » 40 Ton toray carbon blank
- » UXR technology for a more refined action
- » The medium heavy model only weighs 109g
- » Fuji reel seat and sic guides a on casting & spinning models
- » EVA handles
- » Premium carbon fibre finish reel seat hood



### TECH SPECS:

CODE	LENGTH	TYPE	POWER	CASTING WT	SECTIONS
HK-C-701H	7'0"	Casting	H	1/4-1oz	1PC
HK-C-701MH	7'0"	Casting	MH	1/4-3/4oz	1PC
HK-S-701M	7'0"	Spinning	M	1/8-5/8oz	1PC



FUJI EQUIPPED





## AIRFRAME FLY RODS

- » 2-piece, sensitive graphite rod
- » Stainless steel snake guides
- » Cork Grips
- » Supplied in a cloth bag
- » Graphite reel seat



### TECH SPECS:

CODE	LENGTH	SECTIONS	LINE WT
AF-902-5	9'0"	2PC	5 wt.
AF-902-6	9'0"	2PC	6 wt.



## SIERRA FLY RODS

- » Light weight graphite construction
- » Medium fast action
- » Custom made aluminum pipe reel seat
- » High quality Portuguese cork handles
- » Stainless steel snake guides
- » Saltwater resistant stripping guides
- » Luxury velvet rod bag with a PVC tube



### TECH SPECS:

CODE	LENGTH	SECTIONS	LINE WT
SRF-904-5	9'0"	4PC	5 wt.
SRF-904-6	9'0"	4PC	6 wt.





**UFR**

## C-POWER CARP RODS

- » UFR (Ultimate Flex Reinforcement) Technology
- » EVA Grips
- » Light Weight Stainless Steel Guides and Inserts
- » 24 Ton Carbon Blank

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
CP-S-902	9'0"	235g	15-60g	3.0lb	2PC
CP-S-1002	10'0"	275g	20-80g	3.0lb	2PC
CP-S-1202	12'0"	360g	25-100g	3.5lb	2PC



## BARBARIAN BLACK CARP RODS

- » Camo EVA Grips
- » 24 Ton Carbon Fiber Construction
- » Medium Fast Action
- » Titanium Oxide Standard shape guides
- » Ideal For Bank Angling

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
BN-S-802	8'0"	204g	15-60g	3.00lb	2PC
BN-S-1002	10'0"	290g	20-80g	3.20lb	2PC
BN-S-1202	12'0"	355g	25-100g	3.50lb	2PC



## BARBARIAN PINK CARP RODS

- » Camo EVA Grips
- » 24 Ton Carbon Fiber Construction
- » Medium Fast Action
- » Titanium Oxide Standard shape guides
- » Ideal For Bank Angling

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
BNP-S-802	8'0"	204g	15-60g	3.00lb	2PC
BNP-S-1002	10'0"	290g	20-80g	3.20lb	2PC
BNP-S-1202	12'0"	355g	25-100g	3.50lb	2PC



## BARBARIAN LOW RIDER CARP RODS

The Okuma BARBARIAN Rods have just got all the more wild with low rider guides. Upgraded and sassy, the Barbarian range of rods which have been around for many carp years feature a 24 Ton carbon blank with eye-catching black/grey camo grips. Available in 8 (NEW), 10 and 12ft models with a medium fast action to suit most casting styles.

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
BNLR-S-802	8'0"	213g	20-80g	3.2lbs	2PC
BNLR-S-1002	10'0"	287g	20-80g	3.2lbs	2PC
BNLR-S-1202	12'0"	362g	25-100g	3.5lbs	2PC





## INTERCEPTOR CARP RODS

- » 30 Ton, 2pc Carbon
- » Low Rider Guides
- » Okuma Reel Seat
- » Supplied In Cloth Bag
- » Natural Cork Grips

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
IR-S-1002	10'0"	224g	20 - 85g	3.3lb	2PC
IR-S-1202	12'0"	274g	25 - 100g	3.6lb	2PC
IR-S-1262	12'6"	336g	30 - 115g	3.7lb	2PC



## Longbow TOURNAMENT CARP RODS

- » 30/36 Ton Carbon
- » Lowrider Guides
- » OPP Okuma Wrap
- » Natural Cork With EVA Grip

### TECH SPECS:

CODE	LENGTH	WEIGHT	CASTING WT	TEST CURVE	SECTIONS
LBT-S-1002	10'0"	212g	20-85g	3.3lbs	2PC
LBT-S-1202	12'0"	265g	25-100g	3.5lbs	2PC
LBT-S-1262	12'6"	300g	30-105g	3.6lbs	2PC
LBT-S-1302	13'0"	326g	30-115g	3.7lbs	2PC



## C-FIGHT CARP RODS

- » Light weight 24T carbon blank
- » Exclusive camouflage blank covering
- » Semi matt frame SIC guides
- » Slim EVA butt handle
- » Engraved aluminum butt cap
- » Graphite reel sat with cushions

### TECH SPECS:

CODE	LENGTH	WEIGHT	TEST CURVE	SECTIONS
CF-CA-802M	8'0"	168g	2.5lb	2PC
CF-CA-902M	9'0"	208g	2.75lb	2PC
CF-CA-1002MH	10'0"	273g	3.0lb	2PC
CF-CA-1202MH	12'0"	375g	3.5lb	2PC



## CUSTOM BLACK CARP RODS

- » 24t Carbon Blank
- » Heavy Duty Okuma Graphite Reel Seat
- » Ergonomic Shaped EVA With Durable
- » Shrink Tube Handle
- » Supplied In a Quality Rod Bag

### TECH SPECS:

CODE	LENGTH	WEIGHT	TEST CURVE	SECTIONS
CB-S-802-30	8'0"	182g	3.0lb	2PC
CB-S-1002-30	10'0"	238g	3.0lb	2PC
CB-S-1202-35	12'0"	331g	3.5lb	2PC
CB-S-1202-50	12'0"	351g	5.0lb	2PC



## 8K SPECIMEN CARP RODS

The NEW 8K Carp Rod features a slim, light and powerful 30T Toray carbon blank construction, Fuji DPS pate reel seat, slim and ergonomically shaped EVA with durable shrink tube butt handle.

- » 30T Toray carbon material, slim, light and powerful blank construction
- » Black stainless steel frame guides with SIC inserts
- » Fuji DPS pate reel seat
- » Okuma carbon line clip
- » Slim and Ergonomic shape EVA with durable shrink tube butt handle
- » Engraved aluminum butt cap
- » High quality cloth bag

### TECH SPECS:

CODE	LENGTH	WEIGHT	TEST CURVE	SECTIONS
8K-CA-1002-325	10'0"	218g	3.25lbs	2PC
8K-CA-1002-35	10'0"	g	3.5lbs	2PC
8K-CA-1202-35	12'0"	316g	3.5lbs	2PC



FUJI EQUIPPED



## CASPIAN

- » FPS graphite reel seat
- » High Quality guides
- » Lightweight
- » Japanese EVA handles
- » 24 Ton 2pc Carbon blank

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
750000	H	Spinning	10'0"	2PC	3/4oz
750001	H	Spinning	11'0"	2PC	1-4oz



## MATRIX SPINNING

- » 24 Ton Toray Carbon
- » Sea Guide Guides
- » OPP Okuma Wrap
- » Ultra Responsive tip action
- » Ideal for Shore Slow Jigging
- » Supplied In Velvet Cloth Bag

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
MA-S-802MH	MH	Spinning	8'0"	2PC	19-56g
MA-S-1002MH	MH	Spinning	10"	2PC	19-70g
MA-S-1102MH	MH	Spinning	11'0"	2PC	28-84g




## RECON INSHORE SPINNING

- » 30 Ton Toray Carbon
- » Cork Grips
- » Nano Carbon Technology
- » Exposed blank reel seat for ultimate sensitivity
- » Responsive tips for great drop shot lure action
- » Full Cork butt grips
- » Aluminium down locking reel seat hood

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	LINE RATING	CASTING WT
RECI-S-702M	M	Spinning	7'0"	2PC	8-17lbs	1/4-5/8oz
RECI-S-702MH	MH	Spinning	7'0"	2PC	10-20lbs	1/4-3/4oz
RECI-S-802MH	MH	Spinning	8'0"	2PC	10-20lbs	1/4-3/4oz
RECI-S-802H	H	Spinning	8'0"	2PC	10-30lbs	3/8 - 1oz
RECI-S-862M	M	Spinning	8'6"	2PC	8-17lbs	1/4-5/8oz





## RECON SHORE SPINNING

- » 30 Ton Toray Carbon
- » Cork Grips
- » Nano Carbon Technology
- » Exposed blank reel seat for ultimate sensitivity
- » Full Cork butt grips
- » Fuji O-Ring Guides

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	LINE RATING	CASTING WT
REC-S-902H	H	Spinning	9'0"	2PC	15-30lbs	3/4-2oz
REC-S-1002H	H	Spinning	10'0"	2PC	20-40lbs	1-2 1/2oz



FUJI EQUIPPED



## ROCK RANGER SHORT BUTT

- » 24 Ton GT Carbon Technology
- » EVA Grips
- » MCA – Mechanical Casting aid fitted to 10& 11ft models only
- » Okuma Reel Seat
- » Stainless Steel Guide Frame
- » Titanium Oxide Inserts
- » Supplied In Cloth Bag

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
RR-SB-802M	M	Spinning	8'0"	2PC	28g
RR-SB-902M	M	Spinning	9'0"	2PC	28-56g
RR-SB-1002M	M	Spinning	10'0"	2PC	28-56g
RR-SB-1102MH	MH	Spinning	11'0"	2PC	42-84g
RR-SB-1202MH	MH	Spinning	12'0"	2PC	42-84g



## WAVE POWER SURF SPIN

- » 24 Ton GT Carbon Technology
- » EVA Grips
- » Mechanical Casting Aid
- » Okuma Reel Seat
- » Stainless Steel Guide Frame
- » Titanium Oxide Inserts
- » Supplied In Cloth Bag

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
WP-S-1203H	H	Spinning	12'0"	3PC	56-112g
WP-S-1303XH	XH	Spinning	13'0"	3PC	84-142g
WP-S-1403XH	XH	Spinning	14'0"	3PC	112-168g
WP-S-1503XH	XH	Spinning	15'0"	3PC	142-196g



## PRECISION 3PC ROCK & SURF RODS

- » 36 TON Carbon Blank
- » Fuji K-Series anti tangle guides with Fazlite ceramic inserts
- » Fitted with EVA grips
- » Supplied in a cloth bag
- » Bionic finger fitted on all models
- » Okuma OPP wrap

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
PR-S-1203M	M	Spinning	12'0"	3PC	2-4oz
PR-S-1303M	M	Spinning	13'0"	3PC	2-4oz
PR-S-1403M	M	Spinning	14'0"	3PC	3-5oz
PR-S-1403MH-46	MH	Spinning	14'0"	3PC	4-6oz
PR-S-1463M-35	M	Spinning	14'6"	3PC	3-5oz
PR-S-1463H-68	H	Spinning	14'6"	3PC	6-8oz
PR-S-1503MH-36	MH	Spinning	15'0"	3PC	3-6oz
PR-S-1503H-68	H	Spinning	15'0"	3PC	6-8oz



FUJI EQUIPPED



## EUPHORIA 3PC

- » 36 TON Lightweight Toray Carbon Blank
- » Fuji K-Series anti tangle guides
- » Fuji Reel Seat
- » Okuma OPP wrap
- » Supplied in rod bag
- » Bionic finger fitted on all models

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	WEIGHT	SECTIONS	CASTING WT
EU-S-1203M-24	M	Spinning	12'0"	521g	3PC	2-4oz
EU-S-1303M-24	M	Spinning	13'0"	535g	3PC	2-4oz
EU-S-1403M-35	M	Spinning	14'0"	606g	3PC	3-5oz
EU-S-1403MH-46	MH	Spinning	14'0"	643g	3PC	4-6oz
EU-S-1463M-35	M	Spinning	14'6"	657g	3PC	3-5oz
EU-S-1463H-68	H	Spinning	14'6"	735g	3PC	6-8oz
EU-S-1503MH-36	MH	Spinning	15'0"	736g	3PC	3-6oz
EU-S-1503H-68	H	Spinning	15'0"	761g	3PC	6-8oz



FUJI EQUIPPED



## MARIANA SURF SPIN 3PC - SIC GUIDES

- » 40 TON Lightweight Carbon Blank
- » Slit Carbon Tape Wrap for added strength
- » Fuji SIC K-Series anti tangle guides
- » Fuji Reel Seat
- » Supplied in rod bag with soft shell cover
- » Bionic finger fitted on all models



### TECH SPECS:

CODE	POWER	WEIGHT	LENGTH	SECTIONS	CASTING WT
MS-S-1403M-35	M	565g	14'0"	3PC	3-5oz
MS-S-1463MH-46	MH	678g	14'6"	3PC	4-6oz
MS-S-1503MH-57	MH	737g	15'0"	3PC	5-7oz
MS-S-1463H-68	H	714g	14'6"	3PC	6-8oz
MS-S-1503XH-79	XH	773g	15'0"	3PC	7-9oz



FUJI EQUIPPED



## SLX DRONE RODS

- » ALPS reel seat
- » Fuji Alconite guides
- » 30 Ton Toray carbon blank
- » Fitted with Original Winn Grips
- » Gimbal on butt
- » Supplied in a soft shell carry case with Zip

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	APPLICATION
SLX-C-1203H	H	Casting	12'0"	3PC	Edibles
SLX-C-1203XH	XH	Casting	12'0"	3PC	Shark
SLX-C-1204XH	XH	Casting	12'0"	4PC	Shark
SLX-C-1203XXH	XXH	Casting	12'0"	3PC	Xtreme



FUJI EQUIPPED



## AIREAL

The Aireal rods from Okuma are ideal for Paddle Ski, Boat and LTB applications. They feature Okuma's new UFR Technology. Okuma's unidirectional fiber reinforcement (UFR) technology is a breakthrough design in rod strength and sensitivity. This patented manufacturing process utilizes an outer layer of longitudinal fibers around the rod blank to significantly increase the rod strength and power in the tip section. These fibers increase the rod's lifting power and maximum strength of the rod by up to three times that of a standard rod blank. The end result is an extremely powerful and durable rod angler can fish with confidence.



Okuma's UFR technology is a breakthrough design in rod strength and sensitivity. Our patented UFR manufacturing process utilizes an outer layer of longitudinal fibers around the rod blank in the extended tip section. The result is 300% increase in lifting power and a flexible tip increasing durability and protecting against breaks. UFR tips are tough but sensitive to even the of lightest bites, even when using heavy baits.

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
AR-C-601MH	MH	Casting	6'0"	1PC	14-22lb
AR-S-601MH	MH	Spinning	6'0"	1PC	14-22lb



## UTG SABIKI WIDE

- » Reduces tangles and simplifies sabiki storage
- » Improved design features including line feeder and tip feeder
- » Two piece design with butt join
- » Additional length to suit more sabiki brands
- » Quality components and EVA grip

### TECH SPECS:

CODE	LENGTH	SECTIONS	LINE RATING
UTG-732SBKw	7'3"	2	75kg - 15kg



## AZORES BOAT RODS

- » Super strong composite blank
- » DPS reel seat
- » S/Steel frame guides with ceramic insert
- » Supplied in a cloth bag

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
AZ-S-701MH	MH	Spinning	7'0"	1PC	50-150g



## SLX BOAT

- » Composite blank construction
- » Heavy duty double foot guide frame
- » ALPS roller guides (for roller tip and roller guide models)
- » EVA Grips – foregrip feature flat top face for better grip
- » Machined aluminium gimbal with EVA cap
- » Supplied in a cloth bag

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	LINE WEIGHT	GUIDE
SLX-C-701MH	MH	CASTING	7'0"	1PC		Power Guide
SLX-C-561MH-15	MH	CASTING	5'6"	1PC	15kg	Power Guide
SLX-C-561H-24	H	CASTING	5'6"	1PC	24kg	Power Guide
SLX-C-561H-24R	H	CASTING	5'6"	1PC	24kg	Roller Tip
SLX-C-58H37R	H	CASTING	5'8"	1PC	37kg	Roller Guide



## METALOID SLOW JIGGING

- » High density EVA grips
- » Fuji Alconite K-Series Guides
- » Fuji Reel Seat
- » Fast Dry Mesh Rod Bag



### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
MTB-S-682MH	MH	Spinning	6'8"	2PC	60g-140g
MTB-C-682MH	MH	Casting	6'8"	2PC	60g-140g



FUJI EQUIPPED





## METALOID JIGGING

- » High density EVA grips
- » Fuji Alconite K-Series Guides
- » Fuji Reel Seat
- » Fast Dry Mesh Rod Bag
- » Slit Carbon Tape Wrap for added strength

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
MTB-S-662MH	MH	SPINNING	6'6"	2PC	100-180G
MTB-S-702H	H	SPINNING	7'0"	2PC	120G - 240G
MTB-S-602XH	XH	SPINNING	6'0"	2PC	180G - 350G
MTB-C-702H	H	CASTING	7'0"	2PC	120G - 240G
MTB-C-602XH	XH	CASTING	6'0"	2PC	180G - 350G



FUJI EQUIPPED



## METALOID FLICKSTICK

- » Fitted with Fuji K-Series Guides
- » Fuji Reel Seat
- » Fast dry mesh rod bag
- » Okuma special blank design to improve strength
- » Gimbal design butt caps

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
MTB-S-802H	H	Spinning	8'0"	2PC	42-140g



FUJI EQUIPPED



## METALOID POPPING

- » Fitted with Fuji Alconite K-Series Guides
- » Fuji Reel Seat
- » Fast dry mesh rod bag
- » Okuma special blank design to improve strength
- » Gimbal design butt caps

### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
MTB-S-822H	H	Spinning	8'2"	2PC	100 - 200g



FUJI EQUIPPED



## ICHIBAN SLOW JIGGING RODS

- » Fitted with Fuji Alconite K-Series Guides
- » Fuji Reel Seat
- » High Density EVA
- » Carbon Tape Reinforcing Wrap



### TECH SPECS:

CODE	POWER	TYPE	LENGTH	SECTIONS	CASTING WT
ICH-C-631L	L	Casting	6'3"	1PC	40-150g
ICH-C-621MH	MH	Casting	6'2"	1PC	60-200g
ICH-S-631L	L	Spinning	6'3"	1PC	40-150g
ICH-S-621MH	MH	Spinning	6'2"	1PC	60-200g



FUJI EQUIPPED