

ARIA

ARIA REELS FEATURE:

- Multi-disc, Japanese oiled felt drag washers
- 1 ball bearing drive for smoothness and durability
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Machined aluminum, anodized spool
- Corrosion-resistant stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System



ARIA-30a

ARIA

	Model	Gear ratio	Bearings	Weight (g)	Line retrieve (cm)	Max Drag Force (kg)	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	
	Standard speed spinning reels											
NEW	ARIA-20a	4.8:1	1BB	183	60.7	5.4	0.15/250, 0.20/140, 0.25/90	GR	GR	GR	AL	
NEW	ARIA-30a	5.0:1	1BB	220	70.7	7.2	0.20/300, 0.25/200, 0.30/130	GR	GR	GR	AL	
NEW	ARIA-40a	5.0:1	1BB	234	84.8	7.9	0.25/260, 0.30/180, 0.35/130	GR	GR	GR	AL	
NEW	ARIA-50a	5.0:1	1BB	223	84.8	8.0	0.30/230, 0.35/170, 0.40/130	GR	GR	GR	AL	

PROTON

PROTON REELS FEATURE:

- Multi-disc, Japanese oiled felt drag washers
- 3BB+1RB ball bearings
- Quick-Set ant-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- Machined aluminum, 2-tone anodized spool
- Corrosion-resistant stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System
- With (4 filament braided line) PE line 120M 0.19mm



PTN-25

PROTON

	Model	Gear ratio	Bearings	Weight (g)	Line retrieve (cm)	Max Drag Force (kg)	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Rotor	Spool	
	Standard speed spinning reels											
NEW	PTN-25	5.0:1	3BB+1RB	228	65.7	6.8	0.20/230, 0.25/150, 0.30/100	GR	GR	GR	AL	
NEW	PTN-30	5.0:1	3BB+1RB	223	65.7	7.2	0.20/260, 0.25/170, 0.30/120	GR	GR	GR	AL	
NEW	PTN-40	5.0:1	3BB+1RB	279	76.3	8.7	0.25/310, 0.30/220, 0.35/160	GR	GR	GR	AL	